





Sample Supercharged7 2500MG 10CT Psuedoindoxyl (Lush Strawberry)

Sample ID SD260711-922 (11046378624302)	Matrix Edible		
Tested for Supercharged7 (LA)			
Sampled -	Received April 15th, 2026	Reported April 22nd, 2026	
Analyses executed KTM	Unit Mass (g) 2.006	Num. of Servings 10	Serving Size (g) 0.67

KTM - Kratom

Analyzed April 20th, 2026 | Instrument HPLC VWD | Method SOP-KTM

The expanded Uncertainty of the Kratom analysis is approximately ±7.81% at the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Specioclatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.235	0.713	31.21	312.14	204.67	516.91	

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DEA license: RP0611043  
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Wed, April 22 2026 10:11:39 -0900

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificate of Analysis (COA) do not certify compliance with any Federal, state, or local law or regulation, including but not limited to the 2009 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, copied, or used in any way without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or production from the client. Measurement of uncertainty is calculated upon request and, when results are reported on this certificate, PharmLabs makes no representation or warranty as to the accuracy of the measurement or process. The client, supplier, or purchaser of a product or service is responsible for determining the accuracy of the results. PharmLabs and its affiliates do not accept any liability for damages, claims, costs, or expenses arising out of or in connection with this COA. The client is responsible for ensuring the compliance of their product(s) with all applicable Federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.







